

FIOCCO



Description:

Alcohol-based multipurpose detergent for any kind of surface, with no need to rinse. It thoroughly cleans and polishes both outer and inner surfaces. It cleans furniture, floors, door and window frames, boats and cars. No phosphates, EDTA and NTA-free. Does not damage aluminium and plastic. Fra-Ber made this product by using surfactants of vegetable origin and completely biodegradable according to regulation 648/2004/EC*. This aspect allows us to be increasingly environmentally friendly, namely towards the sea, with excellent cleaning results.

Directions for use:

Regular cleaning of delicate surfaces: 30 ml-90 ml in 4 l

Intense cleaning of surfaces: 120 ml-270 ml in 8 l

Pre-compression sprayer: pure or diluted 1:1 in cold water.

Warnings:

To handle the product follow the precautionary advice on the safety data sheet.

Technical Features:

Appearance and colour: Clear green liquid

Odour: characteristic

pH: 10.50

Flash point: >100°C

Relative density: 0,97 g/cm³

Solubility in water: soluble

Lipid solubility: insoluble

Storage:

Unopened and stored at room temperature away from direct sunlight.

Packaging:

PACKAGING
JERRY CAN 5 KG

ITEM CODE
75112

**EU Regulation 648/2004 defines 'Complete aerobic biodegradability' as 'the level of biodegradation obtained when a surfactant is completely eliminated by microorganisms in the presence of oxygen which cause it to break down into carbon dioxide, water and mineral salts of any other present element (mineralisation)...' (EEC Reg. 648/04 – Art. 2, 8). 'The biodegradability of surfactants in detergents is considered satisfactory if the level of biodegradability (mineralisation) measured ... is at least 60% within a period of twenty-eight days...' (EEC Reg. 648/04 – Annex III).*

**"According to EU Regulation 286/2011, in the title on the 'Rapid degradability of organic substances' in section 4.1.2.9.5, substances must be considered as rapidly degradable if at least one of the following conditions is met: a) in studies of prompt biodegradation within 28 days at least the following levels of degradation are reached; i) in tests based on dissolved organic carbon: 70%; ii) in tests based on oxygen depletion or carbon dioxide formation: 60% of the theoretical maximum value. These levels of biodegradation must be achieved within 10 days from the start of the degradation process, considered as the moment when 10% of the substance has been degraded ...".*

FRA-BER s.r.l.
Head of the Laboratory

Original signed document available at the company's headquarters. The data contained is the result of technological research of our laboratory and is provided for information purposes only. We exclude any liability arising from an incorrect choice of product and the lack of the necessary precautions, which must always be verified by the user.